

Outline Fujitsu

- Introduction to Workflow
- Process Definition
- Process Instance
- Work Items
- Attachments and Actions

Workflow Fujitsu

- A Sequence of Steps required to complete a specific Business Process, for example:
 - Processing an insurance claim.
- Typical Implementation: combination of manual and automated activities
 - A clerk fills out a claim form and routes the form to the Claims department

Interstage BPM v11.


3


Copyright © 2010 FUJITSU LIMITE

Workflow Elements




- Process Definition
- Activities
- Arrows
- Data Attributes
- Process Instance
- Work Items or Tasks






Process Definition Model ■ Nodes ■ Activity nodes represent user tasks ■ Arrows ■ Connect nodes and direct the flow ■ Gateways ■ Branching and Merging of Process Flow • Condition, And, Or ■ Events ■ Control process flow • e.g. START, EXIT, Trigger




Business Process Model



"Apply General Loan" Business Process Model





Work Items



- Represent manual/human activities in the Process Definition.
- Work Items are created from Activity Nodes.
- Work Items are generated for an activity/node when Process Instance advances to that Node.
- Work Items are assigned to a Role and only the members of that role can see them.

Interstage BPM v11.2


11

Business Process
(i.e., what is intended to happen)

Copyright © 2010 FUJITSU LIMITED

Workflow Terminology





(Diagram courtesy of the Workflow Management Coalition Terminology and Glossary - WFMC-TC-1011)

Interstage BPM v11.2

12

Work Items

(tasks allocated to a

workflow participant)


**** Invoked

Applications

(computer tools/applications

used to support an activity)

opyright © 2010 FUJITSU LIMITED



Attachments



- Users can attach any document to a Process Instance.
- Documents are stored by reference, using name and file-path.
 - for example:
 - Name : Loan Application Form
 - Path: "C:\<Interstage BPM Dir>\<tenant>\<application>\LoanApp_Cust1234.pdf"
- Once attached, it is available to each participant in the process.
- Each type of attachment can be associated with application responsible for its processing (opening).

JavaScript/Java Actions



- Allows process data (usually user defined attributes) to be manipulated by Java code.
- This code can be executed at certain locations in a process:
 - process instance start time
 - init script/action, process instance owner script/action
 - work item assign to role time
 - role script/action, role script/action
 - work item activation time
 - prologue script/action
 - work item completion time
 - epilogue script/action
 - process instance end time
 - commit script/action
 - timer expiry or a due date is reached
 - timer action

Interstage BPM v11.2

1

Copyright © 2010 FUJITSU LIMITE

